



## BENUTTINGSOVERZICHT 2023 aangemaakt op 07-12-2023

| Visbestand    | SC | Quotum<br>hoeveelheid [kg] | Benutting<br>[kg] | Totale<br>benutting [kg] | Benutting<br>[%] | Overschrijding | Sluiting |
|---------------|----|----------------------------|-------------------|--------------------------|------------------|----------------|----------|
| ANF/04-N.     |    | 32.000                     | 33.217            | 33.217                   | 103,80%          | 1.217          |          |
| ANF/07.       |    | 380.706                    | 1.460             | 1.460                    | 0,38%            |                |          |
| >(ANF/*8ABDE) | SC | 56.985                     |                   |                          | 0%               |                |          |
| ANF/2AC4-C    |    | 112.935                    | 83.560            | 83.560                   | 73,99%           |                |          |
| >(ANF/*56-14) | SC | 14.407                     |                   |                          | 0%               |                |          |
| >(ANF/*6AN58) | SC | 43.218                     |                   |                          | 0%               |                |          |
| >(ANF/*2AC4C) | SC | 27.244                     |                   |                          | 0%               |                |          |
| ARU/1/2.      |    | 14.451                     |                   |                          | 0%               |                |          |
| ARU/3A4-C     |    | 37.566                     | 13.305            | 13.305                   | 35,42%           |                |          |
| ARU/567.      |    | 7.448.905                  | 5.045.280         | 5.045.280                | 67,73%           |                |          |
| >BFT/AE45WM   | SC |                            | 600               | 600                      |                  |                |          |
| >BLI/12INT-   | SC | 1.000                      |                   |                          | 0%               |                |          |
| >BLI/24-      | SC |                            | 4                 | 4                        |                  |                |          |
| >BLI/5B67-    | SC | 7.958                      |                   |                          | 0%               |                |          |
| BOR/678-      |    | 127.734                    | 71.046            | 71.046                   | 55,62%           |                |          |
| >BSF/56712-   | SC | 1.110                      |                   |                          | 0%               |                |          |
| COD/N3M.      |    | 600                        |                   |                          | 0%               |                |          |
| COD/03AN.     |    | 16.000                     | 7.626             | 7.626                    | 47,66%           |                |          |
| COD/07D.      |    | 29.500                     | 1.437             | 1.437                    | 4,87%            |                |          |
| >(COD/*2A3X4) | SC | 1.550                      |                   |                          | 0%               |                |          |
| COD/1N2AB.    |    |                            | 536               | 536                      |                  | 536            |          |
| COD/2A3AX4    |    | 890.700                    | 157.508           | 666.555                  | 74,83%           |                |          |
| >COD/*04N-    | EL |                            | 509.047           | 509.047                  |                  |                |          |
| >(COD/*07D.)  | SC | 88.050                     |                   |                          | 0%               |                |          |
| COD/7XAD34    |    | 500                        | 102               | 102                      | 20,40%           |                |          |
| DGS/15X14     |    | 10.000                     |                   |                          | 0%               |                |          |
| DGS/2AC4-C    |    | 91.000                     | 2.322             | 2.322                    | 2,55%            |                |          |
| GHL/2A-C46    |    | 32.331                     | 6                 | 6                        | 0,02%            |                |          |



## BENUTTINGSOVERZICHT 2023 aangemaakt op 07-12-2023

| Visbestand    | SC | Quotum<br>hoeveelheid [kg] | Benutting<br>[kg] | Totale<br>benutting [kg] | Benutting<br>[%] | Overschrijding | Sluiting |
|---------------|----|----------------------------|-------------------|--------------------------|------------------|----------------|----------|
| HAD/03A.      |    | 3.007                      | 1.585             | 1.585                    | 52,71%           |                |          |
| HAD/2AC4.     |    | 731.201                    | 417.517           | 459.489                  | 62,84%           |                |          |
| >HAD/*04N-    | EL |                            | 41.972            | 41.972                   |                  |                |          |
| >(HAD/*6AN58) | SC | 29.585                     |                   |                          | 0%               |                |          |
| HAD/5BC6A.    |    | 2.041                      |                   |                          | 0%               |                |          |
| HAD/6B1214    |    | 1.722                      |                   |                          | 0%               |                |          |
| HAD/7X7A34    |    | 15.578                     | 4.595             | 4.595                    | 29,50%           |                |          |
| HER/1/2-      |    | 6.487.656                  |                   | 5.919.933                | 91,25%           |                |          |
| >HER/*2AJMN   | EL |                            | 5.919.933         | 5.919.933                |                  |                |          |
| HER/2A47DX    |    | 63.064                     | 1.666             | 1.666                    | 2,64%            |                |          |
| HER/4AB.      |    | 49.811.573                 | 49.564.313        | 49.637.729               | 99,65%           |                |          |
| >HER/*4N-S62  | SC |                            | 73.416            | 73.416                   |                  |                |          |
| HER/4CXB7D    |    | 19.987.655                 | 4.656.860         | 4.656.860                | 23,30%           |                |          |
| >(HER/*04B.)  | SC | 10.186.191                 |                   |                          | 0%               |                |          |
| HER/5B6ANB    |    | 78.663                     | 15.364            | 15.364                   | 19,53%           |                |          |
| HER/6AS7BC    |    | 172.000                    |                   |                          | 0%               |                |          |
| HER/7G-K.     |    | 54.000                     |                   |                          | 0%               |                |          |
| HKE/04-N.     |    | 119.400                    | 20.800            | 20.800                   | 17,42%           |                |          |
| HKE/2AC4-C    |    | 71.666                     | 23.687            | 28.573                   | 39,87%           |                |          |
| >HKE/*03A.    | SC | 6.840                      | 4.886             | 4.886                    | 71,43%           |                |          |
| >(HKE/*6AN58) | SC | 4.155                      |                   |                          | 0%               |                |          |
| HKE/571214    |    | 273.861                    | 114.615           | 114.615                  | 41,85%           |                |          |
| >(HKE/*8ABDE) | SC | 873                        |                   |                          | 0%               |                |          |
| HKE/8ABDE.    |    | 30.958                     |                   |                          | 0%               |                |          |
| >(HKE/*57-14) | SC | 8.913                      |                   |                          | 0%               |                |          |
| >JAX/*04-N.   | EL |                            | 143               | 143                      |                  | 143            |          |
| JAX/2A-14     |    | 3.838.219                  | 1.442.854         | 1.442.854                | 37,59%           |                |          |
| >(JAX/*07D.)  | SC | 298.869                    |                   |                          | 0%               |                |          |
| >>(OTH/*07D.) | EL | 15.007                     |                   |                          | 0%               |                |          |
| >(JAX/*7D-EU) | SC | 92.700                     |                   |                          | 0%               |                |          |



## BENUTTINGSOVERZICHT 2023 aangemaakt op 07-12-2023

| Visbestand                      | SC | Quotum<br>hoeveelheid [kg] | Benutting<br>[kg] | Totale<br>benutting [kg] | Benutting<br>[%] | Overschrijding | Sluiting |
|---------------------------------|----|----------------------------|-------------------|--------------------------|------------------|----------------|----------|
| >(OTH/*2A-14)                   | EL | 197.925                    |                   |                          | 0%               |                |          |
| JAX/341SPN                      |    |                            | 1.826             | 1.826                    |                  |                |          |
| JAX/4BC7D                       |    | 3.374.265                  | 2.716.898         | 2.716.898                | 80,52%           |                |          |
| >(JAX/*2A4AC)                   | SC | 300.136                    |                   |                          | 0%               |                |          |
| >(OTH/*4BC7D)                   | EL | 104.115                    |                   |                          | 0%               |                |          |
| LEZ/07.                         |    | 505                        | 228               | 228                      | 45,15%           |                |          |
| LEZ/2AC4-C                      |    | 38.999                     | 437               | 437                      | 1,12%            |                |          |
| >(LEZ/*6AN58)                   | SC | 7.786                      |                   |                          | 0%               |                |          |
| LIN/03A-C.                      |    | 151                        | 10                | 10                       | 6,62%            |                |          |
| LIN/04-C.                       |    | 5.619                      | 1.546             | 1.546                    | 27,51%           |                |          |
| >(LIN/*6AN58)                   | SC | 1.136                      |                   |                          | 0%               |                |          |
| LIN/04-N.                       |    | 1.700                      | 1.570             | 1.570                    | 92,35%           |                |          |
| LIN/6X14.                       |    | 1.021                      | 256               | 256                      | 25,07%           |                |          |
| L/W/2AC4-C                      |    | 345.457                    | 93.553            | 93.553                   | 27,08%           |                |          |
| MAC/2A34.                       |    | 1.698.140                  | 16.139.164        | 16.665.108               | 981,37%          | 14.966.968     |          |
| >(MAC/*2AX14)                   | SC | 1.070.584                  |                   |                          | 0%               |                |          |
| >MAC/*2A4AN                     | EL |                            | 4.992             | 4.992                    |                  | 4.992          |          |
| >MAC/*3A4BC                     | EL | 560.522                    | 520.952           | 520.952                  | 92,94%           |                |          |
| MAC/2CX14-                      |    | 19.622.315                 | 3.560.163         | 3.560.163                | 18,14%           |                |          |
| >(MAC/*4A-UK)                   | SC | 25.734.092                 |                   |                          | 0%               |                |          |
| >(MAC/*8C910)                   | SC | 4.937.490                  |                   |                          | 0%               |                |          |
| MAC/8C3411                      |    | 200                        |                   |                          | 0%               |                |          |
| MAR_PEL_IND/MAR_2019            |    | 19.232.612                 | 12.922.606        | 12.922.606               | 67,19%           |                |          |
| MRT_PEL_IND_FR<br>OZEN/MRT_2021 |    | 67.551.100                 | 9.132.641         | 9.132.641                | 13,52%           |                |          |
| NEP/03A.                        |    | 1                          |                   |                          | 0%               |                |          |
| NEP/07.                         |    | 3                          |                   |                          | 0%               |                |          |
| NEP/2AC4-C                      |    | 1.235.618                  | 862.719           | 862.719                  | 69,82%           |                |          |
| NEP/5BC6.                       |    | 1.900                      |                   |                          | 0%               |                |          |



## BENUTTINGSOVERZICHT 2023 aangemaakt op 07-12-2023

| Visbestand                   | SC | Quotum<br>hoeveelheid [kg] | Benutting<br>[kg] | Totale<br>benutting [kg] | Benutting<br>[%] | Overschrijding | Sluiting |
|------------------------------|----|----------------------------|-------------------|--------------------------|------------------|----------------|----------|
| NOP/2A3A4.                   |    | 33.061                     | 3.018             | 3.018                    | 9,13%            |                |          |
| >(OT2/*2A3A4)<br>(OTH/04-N.) | EL | 2.026                      |                   |                          | 0%               |                |          |
|                              |    | 106.000                    |                   |                          | 0%               |                |          |
| PLE/03AN.                    |    | 2.479.565                  | 248.286           | 248.286                  | 10,01%           |                |          |
| PLE/2A3AX4                   |    | 35.177.734                 | 6.958.437         | 7.167.147                | 20,37%           |                |          |
| >PLE/*04N-<br>PLE/7DE.       | EL | 49.461                     | 208.710           | 208.710                  |                  |                |          |
|                              |    |                            | 24.028            | 24.028                   | 48,58%           |                |          |
| PLE/7FG.                     |    |                            | 84                | 84                       |                  |                |          |
| POK/1N2AB.                   |    |                            | 34.653            | 34.653                   |                  | 34.653         |          |
| POK/2C3A4                    |    | 154.585                    | 88.730            | 127.360                  | 82,39%           |                |          |
| >POK/*04N-<br>>(POK/*6AN58)  | EL |                            | 38.630            | 38.630                   |                  |                |          |
|                              | SC | 8.232                      |                   |                          | 0%               |                |          |
| POK/56-14                    |    | 21.415                     | 10.236            | 10.236                   | 47,80%           |                |          |
| POK/7/3411                   |    | 5.102                      | 12                | 12                       | 0,24%            |                |          |
| POL/07.                      |    | 1.140                      | 286               | 286                      | 25,09%           |                |          |
| PRA/2AC4-C                   |    | 7.000                      |                   |                          | 0%               |                |          |
| RED/N3O.                     |    | 79.000                     |                   |                          | 0%               |                |          |
| RJU/7DE.                     |    | 7.000                      |                   |                          | 0%               |                |          |
| >RNG/5B67-<br>RNG/8X14-      | SC | 49.304                     |                   |                          | 0%               |                |          |
|                              |    | 2.220                      |                   |                          | 0%               |                |          |
| >SBR/678-<br>SOL/07D.        | SC |                            | 44                | 44                       |                  |                |          |
|                              |    | 551                        | 79                | 79                       | 14,34%           |                |          |
| SOL/07E.                     |    |                            | 1                 | 1                        |                  |                |          |
| SOL/24-C.                    |    | 7.415.785                  | 2.969.765         | 2.969.765                | 40,05%           |                |          |
| SOL/3ABC24                   |    | 45.332                     | 1.875             | 1.875                    | 4,14%            |                |          |
| SPR/2AC4-C                   |    | 1.002.071                  | 27.700            | 27.700                   | 2,76%            |                |          |
| >(OTH/*2AC4C)<br>SPR/7DE.    | EL | 25.923                     |                   |                          | 0%               |                |          |
|                              |    | 107.500                    |                   |                          | 0%               |                |          |
| >SQI/N34.<br>SRX/03A-C.      | SC | 128.000                    | 95                | 100                      | 0%               |                |          |



## BENUTTINGSOVERZICHT 2023 aangemaakt op 07-12-2023

| Visbestand    | SC | Quotum<br>hoeveelheid [kg] | Benutting<br>[kg] | Totale<br>benutting [kg] | Benutting<br>[%] | Overschrijding | Sluiting |
|---------------|----|----------------------------|-------------------|--------------------------|------------------|----------------|----------|
| >RJH/03A-C.   | SS |                            | 5                 | 5                        |                  |                |          |
| SRX/07D.      |    | 18.000                     |                   | 44.138                   | 245,21%          | 26.138         |          |
| >RJC/07D.     | SS | 0                          | 29.979            | 29.979                   |                  |                |          |
| >RJH/07D.     | SS |                            | 8.191             | 8.191                    |                  |                |          |
| >RJM/07D.     | SS |                            | 5.968             | 5.968                    |                  |                |          |
| >(SRX/*2AC4C) | SC | 700                        |                   |                          | 0%               |                |          |
| >(SRX/*67AKD) | SC | 350                        |                   |                          | 0%               |                |          |
| SRX/2AC4-C    |    | 411.000                    | 128               | 358.092                  | 87,13%           |                |          |
| >RJC/2AC4-C   | SS |                            | 161.344           | 161.344                  |                  |                |          |
| >RJH/04-C.    | SS |                            | 113.143           | 113.143                  |                  |                |          |
| >RJM/2AC4-C   | SS |                            | 83.475            | 83.475                   |                  |                |          |
| >RJN/2AC4-C   | SS |                            | 2                 | 2                        |                  |                |          |
| >(SRX/*07D2.) | SC | 32.100                     |                   |                          | 0%               |                |          |
| SRX/67AKXD    |    | 4.000                      |                   | 961                      | 24,03%           |                |          |
| >RJC/67AKXD   | SS |                            | 581               | 581                      |                  |                |          |
| >RJH/67AKXD   | SS |                            | 380               | 380                      |                  |                |          |
| >(SRX/*07D.)  | SC | 200                        |                   |                          | 0%               |                |          |
| T/B/2AC4-C    |    | 2.227.866                  | 1.034.940         | 1.034.940                | 46,45%           |                |          |
| >WHB/*NZJM1   | SA |                            | 2.831             | 2.831                    |                  |                |          |
| WHB/1X14      |    | 84.154.443                 | 82.670.970        | 82.670.970               | 98,24%           |                |          |
| WHG/03A.      |    | 2.224                      | 143               | 143                      | 6,43%            |                |          |
| WHG/2AC4.     |    | 2.004.563                  | 863.869           | 869.641                  | 43,38%           |                |          |
| >WHG/*04N-    | EL |                            | 5.772             | 5.772                    |                  |                |          |
| WHG/7X7A-C    |    | 331.908                    | 251.214           | 251.214                  | 75,69%           |                |          |
| WIT/N3NO.     |    | 10.000                     |                   |                          | 0%               |                |          |